# **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: WO 99/61005 (11) International Publication Number: A1 A61K 9/28, 9/32, 9/36 (43) International Publication Date: 2 December 1999 (02.12.99) (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, PCT/US99/10098 (21) International Application Number: BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, (22) International Filing Date: 10 May 1999 (10.05.99) LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (30) Priority Data: (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian US 09/084,622 26 May 1998 (26.05.98) patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, (71) Applicant: ANDRX PHARMACEUTICALS, INC. [US/US]; CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Suite 201, 4001 S.W. 47th Avenue, Fort Lauderdale, FL 33314 (US). (72) Inventors: SRIWONGJANYA, Mongkol; 4163 S.W. 67th **Published** Avenue #206C, Davie, FL 33314 (US). WENG, Timothy; With international search report. 3 South Pine Island Road #215, Plantation, FL 33324 (US). CHOU, Joseph; 5755 N.W. 54th Place, Coral Springs, FL 33067 (US). CHEN, Chih-Ming; 10680 S.W. 40th Manor, Davie, FL 33328 (US). (74) Agent: ENDRES, Martin, P.; Hedman, Gibson & Costigan, P.C., 1185 Avenue of the Americas, New York, NY 10036

(54) Title: CONTROLLED RELEASE ORAL DOSAGE FORM

#### (57) Abstract

(US).

A controlled release dosage form for an analgesic that does not contain an expanding polymer and comprising a core containing the analgesic, preferably tramadol or its pharmaceutically acceptable deviates and a semipermeable membrane coating the core.

# FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	Prance	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ.	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
ВВ	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Paso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobego
BJ.	Benin	IB	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	TL.	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	. 18	Iceland	MW	Malawi	us	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF.	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
α	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	u	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
BE	Estonia	LR	Liberia	SG	Singapore		

## CONTROLLED RELEASE ORAL DOSAGE FORM

## **BACKGROUND OF THE INVENTION:**

10

15

20

25

The present invention relates to oral controlled release dosage formulations containing an analysesic. More specifically, the present invention relates to an oral dosage formulation in the form of a capsule, tablet or pellet comprising a water soluble analysesic such as tramadol or its pharmaceutically acceptable derivatives which are described in United States Patent Nos. 5,516,803, 5,336,691 and 5,468,7442 and are incorporated herein by reference.

In the prior art are extended release tablets which have an osmotically active drug core surrounded by a semipermeable membrane. These tablets function by allowing a fluid such as gastric or intestinal fluid to permeate the coating membrane and dissolve the active ingredient so it can be released through a passageway in the membrane. If the active ingredient is insoluble in the permeating fluid, a hydrogel is employed to push the active ingredient through the passageway. Some representative examples of these osmotic tablet systems can be found in United States Patent Nos. 3,845,770, 3,916,899, 3,952,741, 4,034,758, 4,077,407 and 4,783,337.

The basic osmotic device described in the above-cited patents has been refined over time in an effort to provide greater control of the release of the active ingredient. For example United States Patent Nos. 4,777,049 and 4,851,229 describe an osmotic dosage form comprising a semipermeable wall surrounding a core. The core contains an active ingredient and a modulating agent wherein the modulating agent causes the active ingredient to be released through a passageway in the semipermeable membrane in a pulsed manner. Further refinements are described in United States Patent Nos. 5,178,867, 4,587,117 and 4,522,625 which include modifications to the semipermeable membrane surrounding the active core or as described in United States Patent Nos. 5,650,170 and 4,892,739 which include increasing the number of coatings surrounding the active core.

Also in the prior art are techniques for preparing controlled release formulations that comprise encapsulating a plurality of beads or pellets coated with a diffusion barrier such as United States Patent Nos. 5,376,384, 5,529,790, 5,470,584, 5,002,776, 5,445,829, 5,578,321, 4,524,060, 4,752,470. These patents teach obtaining a controlled release of an active ingredient by varying the coating level of the diffusion barriers and/or the composition of the diffusion barriers. These patents also teach the combination of beads with varying release profiles to obtain a desired composite release profile.

None of the above described prior art references suggest a controlled release formulation that employs the drug tramadol or its pharmaceutically acceptable derivatives as the active ingredient. Further none of the above-cited patents suggest an osmotic tablet or pellet with a unitary core that does not contain a binding agent or an expanding agent.

10

15

20

25

(1R, 1S, 2S)-2-[(dimethylamino)methyl]-1-(3-Tramadol, 2R methoxyphenyl)-cyclohexanol, is a class of analgesic cycloalkanol-substituted phenol esters having a basic amine group in the cycloalkyl ring which is described in greater detail in United States Patent No. 3,652,589 and incorporated herein by reference. Tramadol is believed to produce an analgesic effect through a mechanism that is neither fully opioid-like nor non-opioid-like because clinical data suggests that tramadol lacks many of the typical side effects of opioid antagonists such as respiratory depression, constipation, tolerance and abuse liability but can produce hot flashes and sweating. Due to combination of non-opioid and opioid activity, tramadol is a very unique analgesic and many attempts have been made to prepare oral formulations of the drug. For example an immediate release oral formulation of tramadol is commercially available from McNeil Pharmaceuticals under the tradename ULTRAM®.

The 50th Edition of the Physician's Desk Reference, copyright 1996, p. 1585, states that peak plasma levels for the ULTRAM® product occur about two (2) hours after dosing but this time can vary slightly depending upon the racemic mixture of tramadol employed in the dosage form. Other attempts at preparing useful dosage forms of tramadol have been directed to combining tramadol with other drugs such as non-steroidal anti-inflammatory drugs, acetaminophen or codeine as described in United States Patent Nos. 5,516,803, 5,468,744 and 5,336,691.

Attempts have also been made to formulate tramadol into controlled release formulations such as those described in: United States Patent Nos. 5,395,626, 5474,786 and 5,645,858 which employ a plurality of coating layers to control the release of tramadol over time; United States Patent Nos. 5,580,587 and 5,639,476 which employ a coating of an aqueous dispersion of hydrophobic acrylic polymers dried for an extended period of time under rigid conditions; United States Patent Nos. 5,601,842 and 5,591,452 which employ a polymer matrix to control the release of the drug; and European Patent Application No. 147 780 which employs a super hydrolyzed polyvinyl alcohol coating that gels in the aqueous environment of the body and controls the release of the drug. These controlled release formulations for tramadol are very labor intensive to prepare.

10

15

20

25

It is an object of the present invention to provide a controlled or sustained release dosage formulation for an analysesic that is easy to manufacture and can be used to prepare a range of dosing levels.

It is a further object of the present invention to provide a controlled or sustained release dosage formulation for an analgesic that does not obtain peak plasma levels for at least four (4) hours, preferably six to twenty hours and most preferably ten to eighteen hours, after administration.

It is also a further object of the present invention to provide a controlled or sustained release dosage formulation for an analysesic that does not employ an expanding polymer or a binding agent.

It is also a further object of the present invention to provide a controlled or sustained release dosage formulation for an analysesic that can be prepared with only one or two coating layers

It is an additional object of the present invention to provide a controlled or sustained release dosage formulation for an analgesic that can provide continuous and non-pulsating therapeutic levels of the analgesic to an animal or human in need of such treatment over a twelve hour to twenty-four hour period.

It is also an object of this invention to provide a controlled or sustained release pharmaceutical tablet or pellet having only a homogeneous osmotic core wherein the osmotic core component may be made using ordinary tablet compression techniques.

It is also an object of this invention to provide a controlled or sustained release pharmaceutical formulation comprising an immediate release tablet or pellet and a controlled release tablet or pellet.

## 20 SUMMARY OF THE INVENTION

5

10

15

The foregoing objectives are met by a controlled release dosage form comprising:

- (a) a core comprising an analgesic;
- (b) a semipermeable membrane coating surrounding the core; and
- 25 (c) a means for releasing the analgesic from the core.

The means for releasing the analgesic from the core can be a passageway that is drilled, punched or formed into the semipermeable membrane or it may be a channel, preferably a tortuous channel, formed in the semipermeable membrane by the erosion of a water soluble channeling agent. The channeling

agent is incorporated into the semipermeable membrane during processing of the dosage form and erodes or leaches from the semipermeable membrane after administration of the dosage form to the environment of use.

The controlled release dosage form can be manufactured in the form of a tablet or pellet and can incorporate an immediate release form of the analgesic. If the controlled release dosage form is a tablet, it is preferred that the immediate release amount of the analgesic be coated onto the semipermeable membrane or be a separate tablet. If the controlled release dosage form is a pellet, it is preferred that the immediate release amount of the analgesic be a pellet.

In a preferred embodiment, the core comprises an analgesic, a diluent, a flow aid and a lubricant and the coating comprises an insoluble polymer, a plasticizer and a mixture of channeling agents comprising a channeling agent that is soluble under stomach and intestinal conditions and a channeling agent that is insoluble under stomach conditions but is soluble under intestinal conditions.

The dosage form of the present invention may also contain a water soluble seal coat between the core and the semipermeable membrane.

# 20 BRIEF DESCRIPTION OF THE DRAWINGS

10

15

25

FIG. 1 is a graph which depicts the dissolution profile in simulated intestinal fluid (pH 7.5 phosphate buffer), simulated gastric fluid (SGF) and pH 6.5 of the formulation described in Example 2 as tested according to the procedure described in United States Pharmacopeia XXIII, Apparatus 1 @ 100 rpm.

FIG. 2 is a graph depicting the in vivo tramadol plasma profile of the formulation described in Example 2 and the in vivo tramadol plasma profile of the commercially available tramadol product ULTRAM® under fasting conditions.

FIG. 3 is a graph depicting the in vivo tramadol plasma profile of the formulation described in Example 2 and the in vivo tramadol plasma profile of the commercially available tramadol product ULTRAM® under fed conditions.

FIG. 4 is a graph depicting the simulated in vivo tramadol plasma profile of the formulations described in Examples 3, 4 and 5 under fasting conditions.

FIG. 5 is a graph depicting the simulated in vivo tramadol plasma profile of the formulations described in Examples 3, 4 and 5 under fed conditions.

## **DETAILED DESCRIPTION OF THE INVENTION**

5

**15** 

20

25

The phrase "controlled release dosage form" as used in this specification refers to a tablet or pellet that exhibits a controlled or sustained release of an active ingredient, such as tramadol, over an 8 to 12 hour time period and does not obtain a peak plasma level for about 3 to 4 hours, preferably about 6 to 20 hours and most preferably about 10 to 18 hours after administration.

The term analgesic as used in this specification refers to drugs that are useful in relieving or controlling pain without disturbing consciousness or altering other sensory modalities. The analgesic may be an opiate such a morphine or codeine or a nonopiate such as acetaminophen, aspirin, ibuprofen, or naproxen. Other analgesics are described in Remington's Pharmaceutical Sciences, 1995 Edition and are incorporated herein by reference. It is preferred that the analgesic used in the present invention be water soluble.

The preferred analgesic for use in the present invention is tramadol or its pharmaceutically acceptable derivatives. The pharmaceutically acceptable derivatives of tramadol include the N-oxide derivative such as described in United States Patent No. 5,223,541, the O-desmethyl derivative, individual stereoismers, mixtures of steroisomers, including racemates, pharmaceutically acceptable salts, such as the hydrochloride salt, solvates and polymorphs.

The core of the present invention comprises the analgesic and may optionally comprise other known excipients commonly known in the art. Some

**1** 

5

15

20

25

30

common excipients are binding agents such as polyvinyl pyrrolidone, diluents such as lactose monohydrate NF, flow agents such as colloidal silicon dioxide, lubricants such as magnesium stearate and absorption enhancers such as sodium lauryl sulfate. Preferably any excipient that is incorporated into the core should be water soluble.

In a preferred embodiment of the present invention the core will comprise the following ingredients:

	<u>INGREDIENT</u>	<b>PREFERRED</b>	MOST PREFERRED
10	analgesic	5-100%	10-30%
	diluent	0-95%	<i>7</i> 0- <del>9</del> 0%
	flow aid	0-2%	0.1-1%
	lubricant	0-2%	0.1-1%

all the percentages in the above table are based on the total weight of the core.

The core of the present invention, which comprises the analgesic, is prepared by dry granulating the core ingredients and compressing the granules into tablets or by direct compression. The core may also be formed by wet granulating methods and compressing the granules with the addition of a lubricant into a tablet on a rotary press.

Other commonly known excipients may also be included into the core such as pigments or dyes.

The homogeneous core is coated with a semipermeable membrane, preferably a modified polymeric membrane to form the controlled release tablet of the invention. The semipermeable membrane is permeable to the passage of an external fluid such as water and biological fluids and is impermeable to the passage of the analgesic in the core. Materials that are useful in forming the semipermeable membrane are cellulose esters, cellulose diesters, cellulose triesters, cellulose ethers, cellulose ester-ether, cellulose acylate, cellulose diacylate, cellulose triacylate, cellulose acetate, cellulose diacetate, cellulose triacetate, cellulose acetate propionate, and cellulose acetate butyrate. Other suitable polymers are described in United States Patent Nos. 3,845,770,

3,916,899, 4,008,719, 4,036,228 and 4,11210, which are incorporated herein by reference. The most preferred semipermeable membrane material is cellulose acetate comprising an acetyl content of 39.3 to 40.3%, commercially available from Eastman Fine Chemicals.

In a preferred embodiment, the semipermeable membrane can be formed from the above-described polymers and (a) channeling agent(s).

5

10

15

20

25

The channeling agent increases the volume of fluid imbibed into the core and creates channels, preferably tortuous channels, to enable the dosage form to dispense the analgesic. The channeling agent can be a water soluble material or an enteric material. Some examples of the preferred materials that are useful as channeling agents are sodium chloride, potassium chloride, sucrose, sorbitol, mannitol, polyethylene glycol (PEG), propylene glycol, hydroxypropyl cellulose, hydroxypropyl methycellulose, hydroxypropyl methycellulose phthalate, cellulose acetate phthalate, polyvinyl alcohols, methacrylic acid copolymers and mixtures thereof. The preferred channeling agents are PEG 400, confectioner's sugar and Eudragit S100, a methacrylic acid copolymer commercially available from Röhm Pharma Gmbh. The most preferred channeling agent is a mixture of soluble material such a confectioner's sugar and an enteric material such as Eudragit S100.

The channeling agent may also be a drug that is water soluble. If the channeling agent is a drug, such as tramadol, the present dosage form has the added advantage of providing an immediate release of the drug, which is selected as the channeling agent.

The channeling agent comprises approximately 0 to about 50% of the total weight of the coating, most preferably about 5% to about 40% of the total weight of the coating.

The semipermeable membrane may also be formed with commonly known excipients such a plasticizer. Some commonly known plasticizers include adipate, azelate, enzoate, citrate, stearate, isoebucate, sebacate, triethyl

citrate, tri-n-butyl citrate, acetyl tri-n-butyl citrate, citric acid esters, and those described in the Encyclopedia of Polymer Science and Technology, Vol. 10 (1969), published by John Wiley & Sons. The preferred plasticizers are triacetin, acetylated monoglyceride, grape seed oil, olive oil, sesame acetyltributylcitrate, acetyltriethylcitrate, glycerin sorbitol, diethyloxalate, diethylfumarate, diethylmalate, dibutylsuccinate, diethylmalonate, dioctylphthalate, dibutylsebacate, triethylcitrate, tributylcitrate, glyceroltributyrate, and the like. Depending on the particular plasticizer, amounts from about 0 to about 30%, and preferably about 3% to about 15% of the plasticizer can be used based upon the total weight of the coating.

As used herein the term passageway includes an aperture, orifice, bore, hole, weaken area or an erodible element such as a gelatin plug that erodes to form an osmotic passageway for the release of the analgesic from the dosage form. A detailed description of the passageway can be found in United States Patents such as 3,845,770, 3,916,899, 4,034,758, 4,077,407, 4,783,337 and 5,071,607.

In a preferred embodiment the coating of the present invention will have the following composition:

20		Preferred	Most Preferred
25	COATING: semipermeable polymer channeling agent plasticizer	50-100% 0-50% 0-30%	40-80% 5-40% 3-15%

10

15

**30** 

The percentages listed in the above table are based on the total weight of the coating.

Generally, the coating around the core will comprise from about 1% to about 30% and preferably about 5% to about 25% based on the total weight of the core and coating.

In a preferred embodiment, the dosage form will comprises at least one

5

10

15

**2**0

25

controlled release tablet and optionally at least one immediate release tablet. The controlled release tablet will comprise a core and a semipermeable membrane as described above. The immediate release tablet comprises a core as described above and optionally a water soluble seal coat prepared from materials commonly known in the industry such as Opadry Clear.

The controlled release tablet(s) and the immediate release tablet(s) are placed in a hard gelatin capsule, preferably size"00" or "A" for administration to an animal or human in need of analgesic treatment.

By preparing the controlled release tablets and immediate release tablets with a standard amount of analgesic, such as 50 mg, a number of sustained released dosage forms can be prepared with varying amounts of analgesic. For example one (1) 50 mg immediate release tablet and one (1) 50 mg controlled release tablet may be combined in a hard gelatin capsule to provide a sustained release of 100 mg of analgesic to a patient over a twelve to twenty-four hour time period. Similarly, one (1) 50 mg immediate release tablet may be combined with two (2) 50 mg controlled released tablets in a hard gelatin capsule to provide a sustained release of 150 mg of analgesic to a patient over a twelve to twenty-four hour time period or one (1) 50 mg immediate release tablet may be combined with three (3) 50 mg controlled release tablets in a hard gelatin capsule to provide a sustained release of 200 mg of analgesic to a patient over a twelve to twenty-four hour time period. Alternatively, two (2) 50 mg controlled release tablets, three (3) 50 mg controlled release tablets or four (4) controlled release tablets may be filled in a hard gelatin capsule to provide a sustained release of 100, 150 or 200 mg of analgesic, respectively, to a patient over a twelve to twenty-four hour time period. The standard tablets allow the dosage form to be easily tailored to meet the individual and unique needs of a particular patient.

The controlled release dosage tablets or pellets, prepared according to the present invention should exhibit the following dissolution profile when

tested in a USP type 1 apparatus at 100 rpms in 900 ml of simulated intestinal fluid (pH 7.5 phosphate buffer) and at 37°C:

		<b>Preferred</b>	Most Preferred
	Time (hours)		
5	2 ` ′	0-20%	0-10%
	4	5-40%	10-35%
	8	30- <i>7</i> 5%	40-70%
	12	NLT 50%	NLT 60%
	16	NLT 60%	<b>NLT 70%</b>
10	20	NLT 70%	NLT 80%

## NLT = NOT LESS THAN

The immediate release tablets or pellets prepared according to the present invention should exhibit the following dissolution profile when tested in a USP type 1 apparatus at 100 rpms in 900 ml of simulated intestinal fluid (pH 7.5 phosphate buffer) and at 37°C:

		<u>Preferred</u>	Most Preferred
	Time (hours)		
20	2	0-100%	30-100%
	4	NLT 50%	NLT 70%

# NLT = NOT LESS THAN

The sustained release dosage form of the present invention which comprises at least one controlled release tablet and at least one immediate release tablet should exhibit the following dissolution profile when tested in a USP type 1 apparatus at 100 rpms in 900 ml of simulated intestinal fluid (pH 7.5 phosphate buffer) and at 37°C:

**30** 

		Preferred	Most Preferred
	Time (hours)		,
	2 ` ´	0-70%	0-60%
	4	10-90%	30-80%
5	8	30-95%	40-90%
	12	NLT 50%	NLT 60%
	16	NLT 60%	NLT 70%
	20	NLT 70%	<b>NLT 80%</b>

10 NLT = NOT LESS THAN

## **DESCRIPTION OF THE PREFERRED EMBODIMENTS**

# **EXAMPLE 1**

An immediate release tablet containing 50 mg of tramadol HCl and having the following formula is prepared as follows:

# I IR TABLET

	tramadol HCl	16.67%
20	lactose monohydrate NF1	82.33%
	colloidal silicon dioxide	0.5%
	magnesium stearate	0.5%

<sup>&</sup>lt;sup>1</sup> spray dried.

30

# 25 (a) Tabletting

The tramadol HCl, lactose, colloidal silicon dioxide and magnesium stearate are delumped by passing them through a 40 mesh screen. The delumped materials, tramadol HCl, lactose, and colloidal silicon dioxide, are then blended for approximately thirty (30) minutes in a suitable blender. The delumped magnesium stearate is then added to the blender and blended for five (5) minutes. After blending, the mixture is compressed on a rotary press with tooling that has an indentation.

# (b) Seal Coating (optional)

The immediate release core tablet is seal coated with an Opadry material or other suitable water-soluble coating material. The seal coating is prepared by dissolving 30 g of Opadry Clear and 10 g of sodium chloride in 1000 g of purified water. The Opadry solution is then sprayed onto the core tablet using a pan coater under the following conditions: exhaust air temperature of 38-42°C; atomization pressure of 28-40 psi; and spray rate of 10-15 ml/min. The core tablet is coated with the sealing solution until a theoretical coating level of approximately 3-4% is obtained.

10

15

20

## **EXAMPLE 2**

A controlled release tablet containing 50 mg of tramadol HCl is prepared by first preparing an immediate release core as described in Example 1. The immediate release core is then coated with a controlled release coating. The controlled release tablet has the following formula:

## II <u>CR Tablet</u>

immed	iate release core (seal coated) <sup>2</sup>		87.50%
cellulo	e acetate (398-10) <sup>3</sup>		7.50%
Eudrag	it S100		2.50%
triaceti	n		0.625%
PEG 40	0	•	0.625%
sugar4			1.250%

<sup>2</sup>core from Example 1

<sup>3</sup>acetyl content 39.3 - 40.3%

#### 25 <sup>4</sup>confectioner's 6X-micronized

The cellulose acetate, Eudragit S100, triacetin and PEG 400 are dissolved in a mixture of acetone and isopropyl alcohol and stirred until a clear solution is obtained. The sugar is then dispersed in the polymer solution by a homogenizer. The coating suspension is then sprayed onto the seal coated core

in a fluidized bed coater employing the following conditions: product temperature of 26-32°C; atomization pressure of approximately 3 bars; and spray rate of 15-35 ml/min. The sealed core tablet is coated until a theoretical coating level of approximately 12.5% is obtained.

The resulting controlled release dosage form is tested in simulated intestinal fluid (pH 7.5), simulated gastric fluid (SGF) and pH 6.5 according to the procedure described in United States Pharmacopeia XXIII, Apparatus 1 @ 100 rpm and found to have the following release profile:

		SIF	SGF	pH 6.5
10	TIME (hours)	% Released	% Released	% Released
	2	1	1	0
	4	21	16	16
	8	63	47	49
	12	85	69	<b>7</b> 0
<b>15</b>	16	93	80	80
	20	99	86	85

The release profile in pH 7.5, SGF and pH 6.5 of the controlled release product prepared in this Example is shown in Figure 1.

Figure 2 depicts the in vivo tramadol plasma profile of the controlled release product prepared in this Example under fasting conditions. Also shown in Figure 2 is the in vivo tramadol plasma profile of ULTRAM®, a commercially available pharmaceutical product containing the drug tramadol HCl.

Table 1 is a summary of the bioavailability comparison data,
25 test/reference ratio, shown in Figure 2 wherein the ULTRAM® product is the
reference product in a two way crossover biostudy with n = 6.

20

TABLE 1

·	Test Mean	%CV	Ref Mean	%CV	G-Mean
					Ratio
Cmax	39.88	26.68	119/60	32.56	0.339
AUC	800.67	51.59	904.63	66.03	0.942
(O-t)				,	
AUC	808.24	50.52	904.63	66.03	0.954
(O-24/48)					
Tmax	11.33	24.11	1.58	41.97	7.544

Figure 3 depicts the in vivo tramadol plasma profile of the sustained release product prepared in this Example under fed conditions. Figure 3 also shows the in vivo tramadol plasma profile of the ULTRAM® product under fed conditions.

Table 2 is a summary of the bioavailability comparison data, test/reference ratio, shown in Figure 3 wherein the ULTRAM® product is the reference product in a two way crossover biostudy with n=6.

TABLE 2

	Test	%CV	Ref Mean	%CV	G-Mean	A-Mean
	Mean			l	Ratio	Ratio
Cmax	39.30	24.82	113.55	19.40	0.343	0.347
AUC (O-t)	902.31	34.72	1013.85	34.55	0.888	0.896
AUC (O- 24/48)	902.31	34.72	1013.85	34.55	0.888	0.896
Tmax	10.33	28.49	3.17	29.40	3.295	3.450

# **EXAMPLE 3**

A 100 mg once a day tramadol sustained release dosage form is prepared by placing one (1) immediate release tablet from Example 1 and one (1) controlled release tablet from Example 2 in a hard gelatin capsule commercially available from Capsugel.

Figure 4 depicts the simulated in vivo tramadol plasma profile of the sustained release product prepared in this Example under fasting conditions.

Figure 5 depicts the simulated in vivo tramadol plasma profile of the sustained release product prepared in this Example under fed conditions.

10

5

#### **EXAMPLE 4**

A 150 mg once a day tramadol sustained release dosage form is prepared by placing one (1) immediate release tablet from Example 1 and two (2) controlled release tablets from Example 2 in a hard gelatin capsule commercially available from Capsugel.

Figure 4 depicts the simulated in vivo tramadol plasma profile of the sustained release product prepared in this Example under fasting conditions.

Figure 5 depicts the simulated in vivo tramadol plasma profile of the sustained release product prepared in this Example under fed conditions.

20

25

15

## EXAMPLE 5

A 200 mg once a day tramadol sustained release dosage form is prepared by placing one (1) immediate release tablet from Example 1 and three (3) controlled release tablets from Example 2 in a hard gelatin capsule commercially available from Capsugel.

Figure 4 depicts the simulated in vivo tramadol plasma profile of the sustained release product prepared in this Example under fasting conditions.

Figure 5 depicts the simulated in vivo tramadol plasma profile of the sustained release product prepared in this Example under fed conditions.

5

While certain preferred and alternative embodiments of the invention have been set forth for purposes of disclosing the invention, modifications to the disclosed embodiments may occur to those who are skilled in the art. Accordingly, the appended claims are intended to cover all embodiments of the invention and modifications thereof which do not depart from the spirit and scope of the invention.

We claim:

1. A controlled release dosage form comprising:

- (a) a core consisting essentially of:
- 5 (i) an analgesic;
  - (ii) optionally a diluent; and
  - (iii) optionally a flow aid;
  - (b) a semipermeable membrane coating covering said core; and
  - (c) a means for releasing the analgesic from the core.

- 2. A controlled release dosage form as defined in claim 1 wherein the analgesic is tramadol or a pharmaceutically acceptable derivative of tramadol.
- A controlled release dosage form as defined in claim 1 wherein the
   means for releasing the analysesic from the dosage form is a channeling agent comprising a mixture of water soluble materials and enteric materials.
  - 4. A controlled release dosage form comprising:
  - (a) a core comprising:
- 20 (i) a drug selected from the group consisting of tramadol or a pharmaceutically acceptable derivative of tramadol;
  - (ii) optionally a diluent;
  - (iii) optionally a flow aid; and
  - (iv) optionally a lubricant;
- 25 (b) a semipermeable membrane coating covering said core; and
  - (c) a means for releasing the drug from the core.
  - 5. A controlled release dosage form as defined in claim 4 wherein the drug is tramadol or a pharmaceutically acceptable salt thereof.

- A controlled release dosage form as defined in claim 4 wherein the drug is tramadol hydrochloride.
- 5 7. A controlled release dosage form as defined in claim 4 wherein the diluent is lactose monohydrate.
  - 8. A controlled release dosage form as defined in claim 4 wherein the flow aid is colloidal silicon dioxide.

10

- A controlled release dosage form as defined in claim 4 wherein the semipermeable membrane around the core is a water insoluble cellulose derivative.
- 15 10. A controlled release dosage form as defined in claim 9 wherein the water insoluble cellulose derivative is cellulose acetate.
- 11. A controlled release dosage form as defined in claim 4 wherein the means for releasing the drug from the dosage form is a channeling agent in the20 semipermeable membrane or an osmotic passageway.
  - 12. A controlled release dosage form as defined in claim 11 wherein the means for releasing the drug is an aperture, orifice, bore, hole, weaken area or an erodible element such as a gelatin plug that erodes to form the osmotic passageway for the release of the drug from the dosage form.
  - 13. A controlled release dosage form as defined in claim 11 wherein the means for releasing the drug is a channeling agent.

14. A controlled release dosage form as defined in claim 13 wherein the channeling agent is a mixture of water soluble material and enteric material.

15. A controlled release dosage form as defined in Claim 13 wherein the channeling agent is sodium chloride, potassium chloride, sucrose, sorbitol, mannitol, polyethylene glycol, propylene glycol, hydroxypropyl cellulose, hydroxypropyl methycellulose, hydroxypropyl methycellulose phthalate, cellulose acetate phthalate, polyvinyl alcohols, methacrylic acid copolymers or mixtures thereof.

- 16. A controlled release pharmaceutical tablet as defined in claim 13 wherein the channeling agent is selected from the group consisting of sucrose, polyethylene glycol, methacrylic acid copolymers or mixtures thereof.
- 15 17. A controlled release dosage form as defined in claim 4 further comprising a water soluble seal coat that is applied to the core before the semipermeable membrane coating.
- 18. A controlled release pharmaceutical tablet as defined in claim 4 wherein20 the semipermeable membrane comprises a plasticizer.
  - 19. A controlled release pharmaceutical tablet as defined in claim 18 wherein the plasticizer is triacetin.
- 25 20. A controlled release pharmaceutical tablet as defined in claim 4 wherein the peak plasma level of the drug is obtained 4 hours after administration.

21. A controlled release pharmaceutical tablet as defined in claim 20 wherein the peak plasma level of the drug is obtained 6 to 20 hours after administration.

- 5 22. A controlled release pharmaceutical tablet as defined in claim 20 wherein the peak plasma level of the drug is obtained 10 to 18 hours after administration.
- 23. A controlled release dosage form as defined in claim 4 further comprising an effective amount of the drug coated onto the semipermeable membrane or mixed into the semipermeable membrane to provide an immediate release of the drug.
- 24. A controlled release dosage form as defined in claim 4 wherein the core15 comprises:

5-100% of the drug; 0-95% of the diluent;

0-2% of the flow aid; and 0-2% of the lubricant; and

20 the coating comprises:

50-100% of an insoluble polymer; 0-50% of a channeling agent; and 0-30% of a plasticizer.

25 25. A controlled release dosage form as defined in claim 24 wherein the core comprises:

10-30% of the drug;70-90% of the diluent;0.1-1% of the flow aid; and

0.1-1% of the lubricant; and

the coating comprises:

40-80% of the polymer;

5-40% of the channeling agent; and

5 3-15% of the plasticizer.

26. A controlled release dosage form as defined in claim 4 that exhibits the following dissolution profile when tested in a USP type 1 apparatus at 100 rpm in 900 ml of simulated intestinal fluid (pH 7.5 phosphate buffer) and at 37°C:

after 2 hours 0-20% of the drug is released;

after 4 hours 5-40% of the drug is released;

after 8 hours 30-75% of the drug is released;

after 12 hours not less than 50% of the drug is released;

after 16 hours not less than 60% of the drug is released; and after 20 hours not

15 less than 70% of the drug is released.

- 27. A controlled release dosage form as defined in claim 4 that exhibits the following dissolution profile when tested in a USP type 1 apparatus at 100 rpm in 900 ml of simulated intestinal fluid (pH 7.5 phosphate buffer) and at 37°C:
- 20 after 2 hours 0-10% of the drug is released;

after 4 hours 10-35% of the drug is released;

after 8 hours 40-70% of the drug is released;

after 12 hours not less than 60% of the drug is released;

after 16 hours not less than 70% of the drug is released; and after 20 hours not

25 less than 80% of the drug is released.

- 28. A sustained release dosage form comprising
  - a) at least one controlled release tablet comprising:
- (i) a core comprising:

(1) a drug selected from the group consisting of tramadol or a pharmaceutically acceptable derivative of tramadol;

- (2) optionally a diluent;
- (3) optionally a flow aid; and
- 5 (4) optionally a lubricant;
  - (ii) a semipermeable membrane coating covering said core; and
  - (iii) a means for releasing the analgesic from the core; and
    - b) at least one immediate release tablet comprising:
  - (i) a core comprising:
- 10 (1) a drug selected from the group consisting of tramadol or a pharmaceutically acceptable derivative of tramadol;
  - (2) optionally a diluent;
  - (3) optionally a flow aid; and
  - (4) optionally a lubricant; and
- 15 (5) optionally a seal coat.
  - 29. A sustained release dosage form as defined in claim 28 wherein the controlled release tablet exhibits the following dissolution profile when tested in a USP type 1 apparatus at 100 rpm in 900 ml of simulated intestinal fluid (pH 7.5 phosphate buffer) and at 37°C.
- 20 7.5 phosphate buffer) and at 37°C:
  - after 2 hours 0-20% of the drug is released;
  - after 4 hours 5-40% of the drug is released;
  - after 8 hours 30-75% of the drug is released;
  - after 12 hours not less than 50% of the drug is released;
- after 16 hours not less than 60% of the drug is released; and after 20 hours not less than 70% of the drug is released;
  - the immediate release tablet exhibits the following dissolution profile when tested in a USP type 1 apparatus at 100 rpm in 900 ml of simulated intestinal fluid (pH 7.5 phosphate buffer) and at 37°C:

after 2 hours 0-100% of the drug is released; and after 4 hours not less than 50% of the drug is released; and the combination of controlled release tablet and immediate release tablet exhibits the following dissolution profile when tested in a USP type 1 apparatus at 100 rpm in 900 ml of simulated intestinal fluid (pH 7.5 phosphate buffer) and at 37°C:

after 2 hours 0-70% of the drug is released; after 4 hours 10-90% of the drug is released; after 8 hours 30-95% of the drug is released;

after 12 hours not less than 50% of the drug is released; after 16 hours not less than 60% of the drug is released; and after 20 hours not less than 70% of the drug is released.

30. A sustained release product as defined in claim 29 wherein the controlled release tablet exhibits the following dissolution profile when tested in a USP type 1 apparatus at 100 rpm in 900 ml of simulated intestinal fluid (pH 7.5 phosphate buffer) and at 37°C:

after 2 hours 0-10% of the drug is released;

after 4 hours 10-35% of the drug is released;

20 after 8 hours 40-70% of the drug is released;

25

after 12 hours not less than 60% of the drug is released;

after 16 hours not less than 70% of the drug is released; and after 20 hours not less than 80% of the drug is released;

the immediate release tablet exhibits the following dissolution profile when tested in a USP type 1 apparatus at 100 rpm in 900 ml of simulated intestinal fluid (pH 7.5 phosphate buffer) and at 37°C:

after 2 hours 30-100% of the drug is released; and
after 4 hours not less than 70% of the drug is released; and
the combination of controlled release tablet and immediate release tablet

exhibits the following dissolution profile when tested in a USP type 1 apparatus at 100 rpm in 900 ml of simulated intestinal fluid (pH 7.5 phosphate buffer) and at 37°C:

after 2 hours 0-60% of the drug is released;

5 after 4 hours 30-80% of the drug is released;

after 8 hours 40-90% of the drug is released;

after 12 hours not less than 60% of the drug is released;

after 16 hours not less than 70% of the drug is released; and after 20 hours not less than 80% of the drug is released.

10

- 31. A controlled release dosage form comprising:
- (a) a core consisting essentially of:
- (i) a drug selected from the group consisting of tramadol or a pharmaceutically acceptable derivative of tramadol;

15


- (ii) a diluent;
- (iii) a flow aid; and
- (iv) a lubricant;
- (b) a semipermeable membrane coating covering said core comprising:
  - (i) cellulose acetate;


20


- (ii) a channeling agent; and
- (iii) a plasticizer.
- 32. A controlled release dosage form as defined in claim 31 wherein the channeling agent is a mixture of water soluble material and enteric material.


25


33. A controlled release pharmaceutical tablet as defined in claim 31 wherein the peak plasma level of the drug is obtained 10-18 hours after administration.











# INTERNATIONAL SEARCH REPORT

International application No. PCT/US99/10098

A. CLASSIFICATION OF SUBJECT MATTER IPC(6) :A61K 9/28, 9/32, 9/36					
IPC(6) :A61K 9/28, 9/32, 9/36 US CL :424/468, 472, 473, 474, 480, 482					
According to International Patent Classification (IPC) or to both national classification and IPC					
B. FIELDS SEARCHED					
Minimum documentation searched (classification system follower	d by classification symbols)				
U.S. : 424/468, 472, 473, 474, 480, 482					
Documentation searched other than minimum documentation to the	e extent that such documents are included	n the fields searched			
Electronic data base consulted during the international search (n	ame of data base and, where practicable,	search terms used)			
C. DOCUMENTS CONSIDERED TO BE RELEVANT					
Category* Citation of document, with indication, where a	ppropriate, of the relevant passages	Relevant to claim No.			
Y US 5,601,842 A (BARTHOLOMAE entire document, especially examples	· · · · · · · · · · · · · · · · · · ·	1-33			
·					
	·				
Further documents are listed in the continuation of Box (	C. See patent family annex.				
Special categories of cited documents:  A* document defining the general state of the art which is not considered.	"T" later document published after the inte date and not in conflict with the appl the principle or theory underlying the	ication but cited to understand			
to be of particular relevance  "E" earlier document published on or after the international filing date	"X" document of particular relevance; the	claimed invention cannot be			
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special seconds.	when the document is taken alone  "Y" document of particular relevance; the	-			
special reason (as specified)  "O"  document referring to an oral disclosure, use, exhibition or other means  "O"  means  "O"  document referring to an oral disclosure, use, exhibition or other means  "O"  document or personal reasons, the craimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art					
*P* document published prior to the international filing date but later than *A* document member of the same patent family the priority date claimed					
Date of the actual completion of the international search	Date of mailing of the international sea				
19 JULY 1999	30 AUG 19:	ງວ			
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Westigner D.C. 2023	Authorized officer JAMES M. SPEAR	Lor			
Washington, D.C. 20231 Facsimile No. (703) 305-3230 Telephone No. (703) 308-1235					